artigo

Faustino, M.C.O.; Gusmão, T.L.A.; Guedes, R.G.; Leite, D.H.B.; Torres, A.L.; Albuquerque, L.F.M.; Healt education about sexually transmitted infections in the female prison environment: integrative review

DOI: https://doi.org/10.36489/saudecoletiva.2021v11i67p6763-6774

Healt education about sexually transmitted infections in the female prison environment: integrative review

Educação em saúde acerca das infecções sexualmente transmissíveis no ambiente prisional femenino: revisão integrativa Educação em saúde acerca das infecções sexualmente transmissíveis no ambiente prisional feminino: revisão integrativa

ABSTRACT

Objective: Analyse in the scientific literature the themes addressed in health education about Sexually Transmited Infections in the female prison environment. Method: Integrative literature review, carried out with articles published in Portugue, English and Spanish in the databases: LILACS, BDENF, IBECS, MEDLINE, SCOPUS, CINAHL, COCHRANE and the SCIELO library. Results: Ten articles were selected. As a health education approach for women in deprivation of liberty were: HIV/STI prevention and reduction, parther violence, male and female condom use, health promotion and prevention policies, use of ilicit drugs, contraception and pre counseling-conception. Conclusion: Knowing the educational themes developed about STIs in the female prision environment, reinforces the development of strategies that reach the real needs of this target audience.

DESCRIPTORS: Prisoners; Sexually Transmitted Infections; Health Education; Woman.

RESUMEN

Objetivo: Analizar en la literatura científica los temas abordados en la educación para la salud sobre Infecciones de Transmisión Sexual en el ámbito penitenciario femenino. Método: Revisión integrativa de la literatura, realizada con artículos publicados en portugués, inglés y español en las bases de datos: LILACS, BDENF, IBECS, MEDLINE, SCOPUS, CINAHL, COCHRANE y en la biblioteca SCIELO. Resultados: Se seleccionaron diez artículos. Como enfoque de educación en salud para mujeres en privación de libertad fueron: prevención y reducción de HIV/ITS, violencia de pareja, uso de condones masulinos y femeninos, políticas de promoción y prevención de la salud, uso de drogas ilícitas, anticoncepción y pre-consejería-concepción. Conclusión: Conocer los temas educativos desarrollados sobre las ITS en ek ámbito carcelario femenino, refuerza el desarrollo de estrategias que alcancen las necesidades reales de este público objetivo.

DESCRIPTORES: Prisioneros; "Infecciones de Transmisión Sexual; "Educación para la Salud; Mujer.

RESUMO

Objetivo: Analisar na literatura científica as temáticas abordadas na educação em saúde acerca das Infecções Sexualmente Transmissíveis no ambiente prisional feminino. Método: Revisão integrativa da literatura, realizada com artigos publicados em português, inglês e espanhol nas bases de dados: LILACS, BDENF, IBECS, MEDLINE, SCOPUS, CINAHL, COCHRANE e na biblioteca SciELO. Resultados: Foram selecionados dez artigos. As abordagens de educação em saúde para mulheres em privação de liberdade foram: prevenção e redução do HIV/IST, violência por parceiros, uso de preservativo masculino e feminino, Políticas de promoção da saúde e prevenção, uso de drogas ilícitas, contracepção e aconselhamento pré-concepção. Conclusão: Conhecer as temáticas educacionais desenvolvidas acerca das IST no ambiente prisional feminino, reforça o desenvolvimento de estratégias que alcancem as reais necessidades desse público-alvo.

DESCRITORES: Prisioneiros; Infecções Sexualmente Transmissíveis; Educação em Saúde; Mulher.

RECEIVED ON: 03/08/2021 APPROVED ON: 04/01/2021



Mariana Carolini Oliveira Faustino

Nurse from the Federal University of Pernambuco. ORCID: 0000-0001-9236-4095

Tarcila Lima Alcântara de Gusmão

Nurse from the Federal University of Pernambuco. Master's student in the Postgraduate Program in Nursing at the Federal University of Pernambuco.

ORCID: 0000-0002-4997-4688

Tatiane Gomes Guedes

PhD in Nursing, Professor at the Nursing Department at the Federal University of Pernambuco. ORCID: 0000-0001-7149-2290

Deborah Helena Batista Leite

Nursing student at the Federal University of Paraíba. ORCID: 0000-0002-9745-9998

Analúcia de Lucena Torres

PhD in Nursing, Professor at the Nursing Department at the Federal University of Pernambuco. ORCID: 0000-0003-2835-1606

Laura Fernandes Marques de Albuquerque

Nursing student at the Federal University of Pernambuco. ORCID: 0000-0003-3755-7403

INTRODUCTION

ccording to the National Penitentiary Department (DEPEN), in 16 years, Brazil presented a 698% increase in its female prison population. In the year 2000, the population was estimated at 5.601, in 2016 that population increased to 44.721 women in deprivation of liberty. ¹

The number of prison units in the country is not sufficient to meet this demand, leading to prison overcrowding with repercussions on the quality of life of this population, which should be deprived only of liberty. ²

Studies show that the conditions in which women are deprived of their liberty, such as overcrowding, low ventilation, drug use and low socioeconomic status predispose them to Sexually Transmitted Infections (STIs). ³

The increase in STIs in the prison environment represents a challenge for health professionals, especially with regard to the extreme situations to which these women are exposed, requiring a reflection of the Health Care model. ⁴

Worldwide, it is estimated that more than one million Sexually Transmitted Infections occur daily, including syphilis. In Brazil, from 2010 to June 2016, 227.663 cases of acquired syphilis were reported.⁵

According to the **National Penitentiary** Department (DEPEN), in 16 years, Brazil presented a 698% increase in its female prison population. In the year 2000, the population was estimated at 5.601, in 2016 that population increased to 44.721 women in deprivation of liberty.

The condition of being imprisoned alone increases the risk of hepatitis B infection and especially when associated with the structural quality of the confinement and the marginal social position predominantly occupied by the population deprived of liberty. ⁶

Health education becomes an even more important mechanism for achieving quality of life, as it works as a chain of transmission, where each citizen aware of their duties in this process transmits to others their acquired knowledge about the means of transmission. ⁷

Given this scenario, the present study aims to analyze in the scientific literature the themes addressed in health education about Sexually Transmitted Infections in the female prison environment.

METHOD

The integrative literature review aims to synthesize the results obtained in research on a topic or issue, in a systematic, orderly and comprehensive manner. It is called integrative because it provides broader information on a subject/problem, thus constituting a body of knowledge. ⁸

For the construction of the integrative review, five different stages were covered,

namely: problem identification, literary search, data evaluation, data analysis and presentation. 9

The research question was elaborated according to the PICO strategy (P- Patient, I- Intervention, C- Comparison and O - Outcome): "What evidence is available in the literature on the themes used for health education about the STI in the female prison environment?". For this study, the following elements were adopted: P - female prison population, I - themes for health education about STIs, C - no comparison, O - use. 10

The search for the articles, carried out in June 2020 occurred in the following databases: Medline/Pubmed, Scopus, Cinahl, Scielo library, Web Of Science, Lilacs and Cochrane. A cross was made with the Health Sciences Descriptors (DeCS) and the respective Medical Subject Headings (MESH) terms with the Boolean operator "AND": 1°) "Prisons/Prisioneiros", "Sexually Transmitted Diseases/ Infecções Sexualmente Transmissíveis", "Health Education/Educação em Saúde", "Woman/Mulher".

Complete original articles, published in English, Portuguese and Spanish, that answered the guiding question of the review were included. Duplicate articles were computed only once, according to the search order in the databases. The period of publication was not a criterion for the selection of articles, in order to obtain the frequency of publications over time.

After carefully reading the titles of the 507 articles found in the chosen databases, 459 articles were excluded because they did not meet the theme of the study. Then, the study abstracts were read in full from the remaining 48 articles, excluding another 22 because they did not meet the object of the research. The remaining articles (19) were read in full for the analysis of the adequacy to the inclusion criteria of the research, of these, 10 were selected for the development of the study.

The search for articles in the databases was carried out by two researchers

Complete original articles, published in English, Portuguese and Spanish, that answered the guiding question of the review were included. **Duplicate articles** were computed only once, according to the search order in the databases. The period of publication was not a criterion for the selection of articles, in order to obtain the frequency of publications over time.

individually, using the same crossing strategy, in order to validate the research stage. To assess the methodological rigor of the publications, an instrument adapted from the Critical Appraisal Skills Program (CASP) was used, consisting of ten items from which the studies are classified into two categories - A and B - according to the score obtained.

RESULTS

The articles were published between 2009 and 2018. Six articles achieved level 2 12, 13, 14, 15, 16, 17, three achieved level 5 18, 19, ²⁰ and one achieved level 6. ²¹

Among the countries that published the articles, six were from the United States ^{13, 14, 15, 17, 18, 20}, followed by two published in Brazil 19,21, one in Cuba 12 and one in Canada. 16

Among the 10 studies analyzed, 9 obtained CASP classification A 12, 13, 14, 15, 16, 17, $^{19,\,20}$ and 1 obtained classification B. 21 As for the methodological design, 6 articles ^{12, 13, 14, 15, 16, 17} have a randomized approach, followed by 2 descriptive studies 18,20 and 2 qualitative. 19, 21

The health education approaches for women in deprivation of liberty were: HIV prevention, HIV/STI risk reduction, partner violence and HIV, STI and male and female condom use, STI, Health promotion and prevention policies STI, STI and HIV, HIV prevention and illicit drug use, contraception, STI and preconception counseling and HIV/STI prevention.

DISCUSSION

When faced with the nationality of the studies, it is clear that the majority was developed in North America and is consistent with the American realitv. 13, 14, 15, 17, 18, 20

Regarding the purpose of the study, the most used theme about STIs within women's prisons was HIV. Such information corroborates the data from the National Penitentiary Department of

Chart 1. Description of the articles regarding authorship/database, objectives, method and main results. Recife, PE, Brazil, 2020.			
AUTHORSHIP/DATABASE	OBJECTIVE/TYPE OF STUDY	SAMPLE/COUNTRY/HEALTH EDUCATION THEMES	
Staton M, Strickland J, Webster M, Leukefeld C, Oser C, Pike E.	Decrease HIV risk behaviors of women in rural prisons.	199 women in prison	
MEDLINE	Randomized	Canada	
		HIV prevention.	
Teaniese L, Lorin DS, Boyce MA, Rose E, Swartzendruber A, Diclemente R, Gelaude D, Amy M, Fasula MC.	Describe the adaptation and imple- mentation of an evidence-based HIV/STD prevention intervention for detained African American girls.	145 African-American girls detained in juvenile detention centers	
MEDITAL	Qualitative	USA	
MEDLINE		Risk reduction of HIV / STI.	
Gilbert L, Goddard-Eckiric D, Hunt T, Ma X, Chang M, McCrimmin T, Johnson K.	Test the effectiveness of a com- puter-based HIV intervention, group-based and partner violence intervention.	306 women in prison	
	Randomized	USA	
MEDLINE		Partner violence and HIV.	
Amorim RPL, Ribeiro SG, Nicolau AIO, Pinheiro PNC, Vieira NFC, Pinheiro AKB.	To report an experience of an educational strategy on sexually transmitted diseases in a female prison in the state of Ceará	26 women in prison	
CINAHL	Descriptive	Brazil	
		STI and use of male and female condoms.	
Malpica KG, Díaz, BTM.	Conduct research on health systems and services.	122 women in prison	
SCIELO	Randomized	Cuba	
		STI	
Filho ACAA, Feitosa, KVA, Sales IMM, Moura FMJSP.	To report the experience of nursing students as assistance in the area of reproductive and sexual health of women prisoners.	100 women	
LILACS	Descriptive of the type of experience report	Brazil	
		Policies for health promotion and STI prevention.	
Jeffrey H, Deborah J, Gelaude, MA.	Test the effectiveness of a behavio- ral intervention adapted to sexually transmitted infection (STD)	521 women in prison	
COCHRANE	Randomized	United States	
		IST e HIV.	
Knudsen HK, Staton-Tindall M, Oser CB, Leukefeld HCG.	Reduce sexual HIV risk behaviors among women with a history of drug use.	444 women in prison	
COCHRANE	Randomized	United States	
		HIV prevention and use of illicit drugs	

Jennifer C, Melanie AG, Rachel ES, Mary BR, Lar S.	Increase the initiation of highly effective contraceptives while incar- cerated;	400 women in prison	
COCHRANE	Randomized	United States	
		Contraception, STIs and preconception counseling	
Fasula AM, Fogel CI, Gelaude D, Carry M, Gaiter J, Parker S.	Adapt an evidence-based HIV/STI prevention intervention for incarcerated women.	25 women in prison and 28 former women priso- ners	
SCOPUS	Qualitative	United States	
		HIV/STI prevention	
Source: Authors.			

Women report that syphilis and HIV are the STIs that most affect the female population of the national prison system. ²²

When brought up the reality of women drug users, in general, they are more likely to have partners who are also drug users and, with less economic resources to buy drugs, they are more likely to engage in sexual interchange to obtain these substances.¹⁶

In relation to detained teenage women, they are at substantial risk for acquiring STIs and HIV, including risky sexual behaviors, family violence, trauma and sexual abuse, negative peer influences, mental disorders and substance abuse. ¹⁸

In the prison population, the spread of STIs is highlighted due to sexual promiscuity and the precariousness of actions to control them, including the fact that some prisoners never had access to health care before being in prison.¹⁹

Instability in sexual life before entering prison, personality disorders, family abandonment situations, conflicting homes and crime rates since adolescence are factors that contribute to this occurrence.¹²

The National Health Plan in the Penitentiary System (PNSSP - Plano Nacional de Saúde no Sistema Penitenciário), foresees actions for the diagnosis, counseling and treatment of STIs, as well as diagnostic and treatment actions, according to the Syndromic approach. The development of actions and works that contribute to the objectives of the PNSSP are achieved, and that guarantee that the guidelines and principles pro-

posed in the National Plan for Integral Assistance to Women's Health reach women in the prison system, is the biggest challenge in the attention to the health of the population. ²³

Understanding that the female prison population is vulnerable, the National Policy for Attention to Women in Situation of Deprivation of Liberty and Prisoners (PNAMPE - Política Nacional de Atenção às Mulheres em Situação de Privação

Instability in sexual life before entering prison, personality disorders, family abandonment situations, conflicting homes and crime rates since adolescence are factors that contribute to this occurrence.

de Liberdade e Egressas do Sistema Prisional) was created, according to Inter Ministerial Ordinance No. 210, of January 16, 2014. ²⁵

The Protocol of Primary Health Care for Women, covers the care of women with greater scope, lists conditions for changing habits such as health education, but does not explain step-by-step how to develop and apply educational practices. ²⁶

Therefore, knowing the approaches used to develop health education strategies helps to recognize possible gaps in knowledge and to improve educational strategies. ²⁵

Adapting evidence-based interventions is a strategy for developing interventions that can protect detained women from adverse sexual health outcomes. ¹⁷

Thus, an HIV-STI prevention intervention with women in deprivation of liberty can significantly reduce sexual risk behaviors and increase protective behaviors after reintegration into the community. ¹³

CONCLUSION

STIs were evidenced as a reality within the female prison environment, being, in most cases, linked to the use of drugs and unprotected sex.

Thus, knowing the literature developed on STIs in the female prison environment, reinforces the development of reliable educational strategies that consequently will bring benefits to the population and change, positively, the epidemiological indexes within female prison units. Finally, it is opportune for health professionals, especially nurses, to seek to understand the demands of this population and develop their role as a health educator in this community.

REFERENCES

- 1. Ministério da Segurança Pública. Departamento Penitenciário Nacional - DEPEN; 2018. Available from: http://depen.gov.br/DEPEN
- 2. Departamento de Doenças de Condições Crônicas e Infecções Sexualmente Transmissíveis. Protocolo clínico e diretrizes terapêuticas para atenção integral às pessoas com infecções sexualmente transmissíveis (IST); 2015. Available from: http://www.aids.gov.br/pt-br/ pub/2015/ protocolo-clinico-e-diretrizes-terapeuticaspara-atencao-integralpessoas-com-infeccoes.
- 3. Coelho HC, de Oliveira SAN, Migue JC, de Lourdes Aguiar Oliveira M, de Castro Figueiredo JF, Perdoná GC, et al. Soroprevalência da infecção pelo vírus da Hepatite B em uma prisão brasileira. Revista Brasileira de Epidemiologia. 2009 11;12(2):124 – 131.
- 4. Nichiata LYI, do Nascimento Martins NV, Via-na LV, Torres AE, da Silva GB, Oliva NO, et al. Prevalência de infecções sexualmente transmissíveis em mulheres privadas de liberdade. Revista Saúde (Santa Maria). 2019 3;45(2):Q - 10. Available from: https://periodicos.ufsm.br/revistasaude/ article/view/31848/pdf.
- 5. Luppi CG, Gomes SEC, da Silva RJC, Ueno AM, dos Santos AMK, Tayra A, et al. Fatores associados à coinfecção por HIV em casos de sífilis adquirida notificados em um Centro de Referência de Doenças Sexualmente Transmissíveis e Aids no município de São Paulo, 2014. Epidemiologia e Serviços de Saúde. 2017 9;25(1):1 - 10.
- 6. Sena Silva AA, de Araújo TME, Teles SA, de Lima Brito Magalhães R, Andrade ELR. Prevalência de hepatite B e fatores associados em internos de sistema prisional. Acta Paul Enferm. 2017 1;30(1):66 – 72.
- 7.Almeida ER, Moutinho CB, de Souza Leite MT. A prática da educação em saúde na percepção dos usuários hipertensos e diabéticos. Saúde debate. 2014 6;38(102):328 - 337.
- 8. Ercole FF, MELO LS, Alcoforado CLC. Revisão Integrativa versus Revisão Sistemática. Revista Mineira de Enfermagem. 2014 1;18(1):10-11.
- 9. Robin W, Knafl K. A revisão integrativa: metodologia atualizada. Leading Global Nursing Research. 2005 1; 52(5): 546-553.
- 10. Santos CMC; Pimenta CAM; Nobre MRCN. A estratégia PICO para a construção da pergunta de pesquisa e busca de evidências. Rev Latino Americana de Enfermagem, 2007;15(3):508-511.
- 11. Listas de verificação CASP. Programa de Habilidades de Avaliação Crítica (CASP). 2017. http://www.casp-uk.net/casp-tools-checklists . Acessado em 06 de julho de 2020.
- 12. García Malpica K, Miranda Díaz TB. Intervenção educacional sobre infecções sexualmente transmissíveis. Matanzas. Rev méd electron [serial online] 2009; 31 (3) Disponível em: http://www.revmatanzas.sld.cu/ revista%20medica/año%202009/vol3%202009/tema05.htm
- 13. Herbst, JH, Fogel, DJ, Gelaude, MA. Eficácia de uma intervenção adaptada para prevenção de infecções sexualmente transmissíveis e HIV para mulheres encarceradas: um estudo controlado randomizado. American Journal of Public Health. 2015; 105(4).
- 14. Knudsen, HK, Staton-tindall, M, Oser, CB, Havens, JR, Leukefeld, CG. Reduzindo relações de risco: um estudo randomizado em vários locais

- de uma intervenção na prisão para reduzir comportamentos sexuais de risco de HIV entre mulheres com histórico de uso de drogas. Cuidados com a SIDA. 2014; 26(9): 1071-1079.
- 15. Clarke, J, Gold, MAG, Simon, RS, Roberts, MBR, Stein, S. Entrevista motivacional com assistência computacional como uma intervenção para capacitar as mulheres a fazer escolhas contraceptivas enquanto encarceradas: protocolo de estudo para ensaio clínico randomizado. Biomed Central. 2012; 13(101): 2-8.
- 16. Staton, M, Strickland J, Webster M, Leukefeld C, Oserce C, Pike, E. Prevenção do HIV em prisões rurais dos Apalaches: implicações para a redução do risco de reentrada entre mulheres que usam drogas. AIDS Behaviour. 2018; 22(12): 4009-4018.
- 17. Gilbert, L, Goddard-eckrich, D, Hust, TMAX, Mccrimmon, T, Jonhson E, Stacey KA. Eficácia de uma intervenção computadorizada sobre o HIV e a violência por parceiros íntimos entre mulheres que usam substâncias em correções comunitárias: um estudo controlado randomizado. Am J Public Health. 2016; 106; 1278-1286.
- 18. Teaniese L, Lorin DS, Boyce MA, Rose E, Swartzendruber A, Diclemente R, Gelaude D, Amy M, Fasula MC. Lições aprendidas com a entrega de Imara, uma intervenção de redução de risco de HIV / DST para meninas afro-americanas em detenção juvenil. Prática de Promoção da Saúde. 2016; 17(1); 31-39.
- 19. Amorim RPL, Ribeiro SG, Nicolau AIO, Pinheiro PNC, Vieira NFC, Pinheiro AKB. Experiência de ensino com base em Doenças Sexualmente Transmissíveis com mulheres privadas de liberdade. Jornal Enfermeira UFPE on line. 2012; 6(11); 2845-2850.
- 20. Fasula AM. Fogel CI, Gelaude D, Carry M, Gaiter PJ. Poder do projeto: adaptação de uma intervenção de prevenção de hiv / ist com base em evidências para mulheres encarceradas. AIDS Education and Prevention. 2013; 25(3); 203-215.
- 21. Filho AAA, Feitosa VA, Sales IMM, Moura, FMJMJSP. Relatos de Cuidados de enfermagem em saúde sexual e reprodutiva de mulheres presas: relato de experiência. Revista de Enfermagem UFPI. 2015; 4(1); 123-128.
- 22. Benedetti MSG, Nogami ASA, Costa BB, Fonsêca HIF, Costa IS, Almeida IS, et al. Infecções sexualmente transmissíveis em mulheres privadas de liberdade em Roraima. Rev Saude Publica. 2020;54:105.
- 23. Ministério da Saúde. Secretaria de Atenção à Saúde. Departamento de ações programáticas estratégicas. Plano Nacional de Saúde no Sistema Penitenciário. Ministério da Saúde, 2010.
- 24. Portaria Interministerial nº 210, de 16 de janeiro de 2014. Brasília, Ministério da Saúde, 2014.
- 25. Ferreira MA. A educação em saúde na adolescência: grupos de discussão como estratégia de pesquisa e cuidado- educação. Texto contexto – enfermagem. 2012;15(2); 205-211.
- 26. Baraibar D, Ferreira LP, Fernandes MTC, Dellanhese APF. Práticas de educação em saúde para promoção da qualidade de vida de mulheres climatéricas. Revista Saúde Coletiva. 2020; 56(10); 3176-3180.